



HTS

Hygienic, simple, affordable and adaptable to most toilets, the Hygiene and Toileting System (HTS) is designed to improve the health of the client and the life of the caregiver.

The versatility of the HTS makes it ideal for anyone contending with tight budgets or tight spaces. Because it accommodates toileting, showering and bathing, the HTS eliminates the need to buy separate equipment for each activity.



Find letters of medical necessity and informative articles at: www.rifton.com/hts

a year of unsuccessful training attempts with a particular student, we are excited to say that the first day we put him on a Rifton HTS he was so comfortable that he voided twice in the same day.

Kerri Wright, Special Ed Teacher Orange Ulster BOCES, NY



HTS features

One of the most affordable toileting systems available today, the HTS can be configured in myriad ways to fit your clients. Options range from the basic model with seat, back, base and armrests to the fully accessorized version.







Precise adjustabilityAdjust the height, seat
depth and backrest angle
independently for optimal
positioning.









Foam molded cushions

Foam pads on the back and seat provide comfort for your clients and easy cleaning for caregivers.

Note: the pads are made of firm material similar to Crocs™.



The large caster option improves mobility and has better resistance to picking up debris.



Accessible for clients A flip-up footboard makes

sit-to-stand transitions easy.

Any client, any toilet, any situation

For clients, each element of the HTS creates the best possible conditions for hygiene. Its wide range of adjustment and varied support options help clients maintain positioning that promotes effective toileting, and the tilt-in-space feature and adjustable headrest make showering easier.

For caregivers, the HTS is the paragon of adaptability. It can be used on or over a round front or elongated toilet, or as a free-standing commode. It can adjust to children as they grow, and includes components and supports for clients of every size and need.







ON

Placing the HTS on any model of toilet, round front or elongated, enables the client to share the same toilet as the rest of the family. Mounting bars make for easy, secure attachment of the chair to the toilet base. Removal is just as easy, no tools required.





OVER

Wheeling the HTS

over toilets of nearly any size and style, enables the client to share the same toilet as the rest of the family. Or use the stationary base on toilets up to 15" tall.






OFF

Use the HTS off the toilet as a stand-alone commode in any location. With the mobile base it can double as a shower chair.



The chair that grows with you

The HTS comes in three sizes, each with a wide range of adjustment. As your child grows the chair can adapt, giving you years of useful service.





Which chair is larger?

The chairs in the photo on the right are exactly the same size: one is adjusted to its smallest setting to accomodate a five-year-old, the other at its largest setting fits an eleven-year-old. The HTS fits a wide range of sizes, body types and special needs, allowing room for growth over time or use by multiple users.





Easy lifts and transfers

Lifts and transfers present a major challenge to successful toileting. The HTS makes them easier, with features like a gas-assisted spring tilt adjustment for sit-to-stand transfers, swing-away laterals and removable armrests for lateral transfers, and a weight-bearing footboard (up to 150 lb) for front-loading transfers.



The new-style swing-away laterals make transfers quick and easy.






The forward tilt and the easily removed armrests make sit-tostand and transfers simple.

Tilt-in-space

Tilt the HTS forward (up to 5°) for easier transfer. Tilt backward (up to 25°) for showering and hair washing.







Doubles as the perfect shower chair.

Save space and money with a single product for both toileting and showering. The aluminum, stainless steel and plastic construction withstands bleach and water.

The HTS tilt-in-space base tilts 5° forward or 25° back for showering and hair washing.



Components

Seat and back with seat belt





Choice of base or mounting bar



(tilt-in-space with footboard)



Stationary (non-tilt with footboard)

Note: Check clearance if using over a toilet.





(non-tilt with footboard)

Tub base (non-tilt, for medium and small HTS seats)

A MARINAGE STATE OF THE STATE O

Mounting bar for round front toilet

(compatible with small, medium and large HTS*) Round-front toilets will measure 17" or less from the centerline of the seat bolts to the front edge of the porcelain bowl.

*Large HTS will always use round front mounting bar for both elongated and round front toilets.



Mounting bar for elongated toilet

(compatible with small and medium HTS) Elongated toilets will measure more than 17" from the centerline of the seat bolts to the front edge of the porcelain bowl.

Use the **Mounting bar** to attach the HTS seat to round-front or elongated toilets. The easy on-and-off feature allows caregivers to quickly position or remove the seat.

Armrests




Armrests come in three heights and are easily removable for lateral transfers. The height selection allows the HTS to grow with a child or accommodate the needs of multiple clients.

Low: 6" high x 9" long **Medium:** 7" high x 10½" long **High:** 9" high x 12" long



Components (continued)





Rear-closed



Seat and back pads

Waterproof closed-cell foam pads are easily removed for cleaning. The unique rear-open seat pad enables hygiene care while the client is still seated and relaxed. Rear-closed and no-hole pads provide additional support. The no-hole pad comes with a rigid hole filler for the medium and large HTS.

New! Soft seat pad

The soft seat pad is thicker and softer for users with sensitive skin. It is only available in the rear-closed style.





Push handles

A set of push handles allows the caregiver to easily move a client seated in the HTS.





Headrest

The curved headrest provides support for clients with limited head control and adjusts in height, depth and angle.





Butterfly harness

The butterfly harness provides maximum anterior support, security and freedom of movement for clients who have limited trunk control while sitting.







Anterior support/tray

The padded anterior support/tray promotes the forward leaning positioning that best facilitates the toileting process.





Laterals

The new-style laterals swing away easily for transfers. They are independently adjustable to secure clients with limited trunk control. Laterals come in two sizes.

Small 5"x 4", large 6"x 5"





Laterals and chest strap

With the addition of a wide chest strap to the laterals, clients with low upper torso control gain trunk support and security.





Hip guides

Hip guides reduce the seat width, allowing for years of use as the client grows. They align the torso to aid trunk control and provide spine alignment. They adjust in two increments and can be removed with the armrests for transfer.

Small 7"x 3", large 11"x 3"





Large hip guides (thick pads)

Thicker hip guides allow narrower seat width adjustment. They adjust in two increments and can be removed with the armrests for transfer.

Dimensions 11"x 3"





Pan

The pan facilitates off-toilet functionality, and its durable plastic construction with a pour spout makes clean-up simple. Its extra depth ensures it will not spill, even when the chair is tilted.

 $\textbf{Small} \ 2\% \ quarts, \ \textbf{medium} \ 4 \ quarts, \ \textbf{large} \ 5 \ quarts$



Components (continued)



Bowl adapter

For situations where the hole in the HTS does not align perfectly with the toilet, the bowl adapter is inserted under the seat pad. It can also be used with the large HTS to create a secure fit over a round front toilet.







Standard deflector



Dynamic deflector

New! Deflectors

Deflectors keep caregiver and client clean during urination. Options include a standard deflector (requires seat pad), a splash guard that attaches to the seat belt or butterfly harness, and a dynamic deflector combined with an abductor (available for medium and large HTS), which moves with the user to provide dependable containment.







Abductor

By separating the knees and helping to control leg muscles, the abductor prevents scissoring of the legs and promotes good joint and body alignment. It also connects to the standard deflector to maintain cleanliness.

Small 3"x 5"x 5", **large** 4"x 5½"x 5½"





Calf rest and ankle straps

Using the calf rest enhances the client's comfort and sense of security, while ankle straps help with limited muscle control and excursion movement, enabling a moderate range of movement. Both components are machine-washable for hygiene.





Footboard for use with mounting bar

This footboard can be attached to the HTS when it is mounted on a toilet with the mounting bar.

Note: The footboard should not be used as a step when used with the mounting bar.







Large casters


The large casters improve mobility by clearing higher thresholds or other obstacles. They add approximately 1" to the height from floor.



Portability base with carry bag

The portability kit (compatible with small and medium HTS) gives clients greater independence and their families greater freedom to travel by enabling them to take the HTS on the road. The lightweight folding frame and carry bag make toileting possible while traveling. Using the HTS eliminates contact with public toilets for better hygiene.

Note: The folding base is not intended for use as a primary base.





Tub base

The tub base (compatible with small and medium HTS) adds even more versatility to the HTS. The seat and back attach to the tub base for comfortable showering and hair washing, eliminating the need to purchase a separate bath chair. The tub base tilts the seat back 5°. The reduced footprint accommodates narrow and wide tub bottoms alike.

Note: The pan can be used with the tub base.



HTS dimensions







| User dimensions (inches) | Z110 small | Z120 medium | Z130 large |
|--------------------------|------------|-------------|------------|
| Height | 30-46 | 42-56 | 50-74 |




Key user dimension: height

The user's overall height is a general guide to help you select the appropriate size of HTS. Choose the model that allows for growth.

Important: Make sure that seat width, depth and height are adequate for each individual user, and that the user's weight does not exceed the maximum working load.

| Item Dimensions (inches) | Z110 small | Z120 medium | Z130 large |
|--|-------------------------------|-------------------------------|-------------------------------|
| Tilt-in-space mobile base footprint | 21 x 27 | 21 x 27 | 23½ x 33 |
| Tilt-in-space base length at full recline (incl. headrest) | 43 | 491/4 | 571/4 |
| Non-tilt base footprint | 20 x 25 | 20 x 25 | 23½ x 29 |
| Seat (front) to footboard height* | 81/2-131/2 | 101/2-151/2 | 111/4-171/2 |
| Seat (front) to floor; mobile tilt frame (add 1" for Z181 large casters) | 15½-21½ | 151/2-211/2 | 171/2 – 23 |
| Seat (front) to floor; mobile non-tilt frame (add 1" for Z181 large casters) | 16-20 | 17 – 201/2 | 18-22 |
| Seat (front) to floor; stationary non-tilt frame | 13-17 | 14-171/2 | 15-19 |
| Seat depth (one-inch increments) | 8-11 | 111/2-141/2 | 141/2 - 171/2 |
| Seat width (depending on hip guides) | 8/10/12 | 8/10/12/14 | 11/13/15/17 |
| Hole size in seat pad | open 4 x 9, closed 3 x 8 | open 4½ x 12, closed 3½ x 10 | open 6 x 14, closed 4½ x 12 |
| Armrest height | 51/4 | 61/2 | 8 |
| Backrest height above seat | 16½ | 191/2 | 241/2 |
| Backrest width | 11½ | 131/2 | 16 |
| Distance between laterals | 43/4-12 | 63/4-141/2 | 101/2-18 |
| Tilt in space FORWARD (degrees) | **5° | **5° | **5° |
| Tilt in space BACK (degrees) | **25° | **25° | **25° |
| Backrest angle adjustment (degrees) | 6° fwd, 6° or 18° back | 6° fwd, 6° or 18° back | 6° fwd, 6° or 18° back |
| Footboard angle adjustment (degrees) | 10°, 20° or 30° fwd, 10° back | 10°, 20° or 30° fwd, 10° back | 10°, 20° or 30° fwd, 10° back |
| Max. clear height under seat (tilt frame) | 201/2 | 201/2 | 203/4 |
| Max. clear height under seat (stationary non-tilt frame) | 15 | 15 | 16½ |
| Max. clear height under seat (mobile non-tilt frame) | 18 | 18 | 191/2 |
| Portability base clearance (fits over ADA compliant toilets) | 18½ | 181/2 | N/A |
| Bottom of frame to floor; tilt-in-space mobile base | 2 | 2 | 2 |
| Tub base footprint | 23 x 16½ at feet/19 at top | 23 x 16½ at feet / 19 at top | N/A |
| Tub base height (floor to seat pad) | 11 at front, 9½ at back | 11 at front, 9½ at back | N/A |
| Max. working load (lb) | 75 | 150 | ***250 |



*When the mobile base is in the lower positions and the footboard is fully extended, it may prevent the front casters from swiveling. In this case, either change the footboard angle or raise the seat height to give the casters room to swivel.

- **To achieve 15° of forward tilt for ease of transfer, order the tilt **angle converter**, Z169. (The range of adjustment will be 15° back and 15° forward. See reference charts at left.)
- ***Max. working load of the large footboard is 150 lb.



2024 order form

To order or get a quote: Go online: https://www.rifton.com/hts-sizing Email: sales@rifton.com Call: 800.571.8198

Use dimension chart to select appropriate size.

| | | | Z110 small | Z120 medium | Z130 large | |
|---|--------|---------------------------------------|------------|-------------|------------|--|
| * Seat and back (includes seat belt) | | Z111 | Z121 _ |] Z131 | | |
| * Base | | Mobile (tilt-in-space with footboard) | Z112 | Z122 |] Z132 | |
| | | Mobile (non-tilt with footboard) | Z113 | Z123 |] Z133 | |
| | 웆 | Stationary (non-tilt with footboard) | Z184 | Z185 |] Z186 | |
| | CHOOSE | Tub base (non-tilt) | Z138 | Z138 |] N/A | |
| | | Mounting bar (round-front toilet) | Z115 | Z115 _ |] Z135 | |
| | | Mounting bar (elongated toilet) | Z125 | Z125 |] Z135 | |
| * Armrests (pair) | | Low | Z101 | N/A | N/A | |
| | CHOOSE | Medium | Z102 | Z102 _ |] Z102 | |
| | æ | High | N/A | Z103 |] Z103 | |
| Casters for mobile base | £ | Small casters (3") | Z195 | Z195 |] Z195 | |
| | CHOOSE | Large casters (4") | Z181 | Z181 |] Z181 | |
| Seat and back pads (recommended) | | Rear-open seat pad | Z153 | Z163 |] Z173 | |
| | £ | Rear-closed seat pad | Z154 | Z164 |] Z174 | |
| | CHOOSE | No-hole seat pad | Z187 | Z188 |] Z189 | |
| | | New! Soft seat pad | N/A | N/A | Z926 | |
| Headrest | | Z104 | Z104 [|] Z104 | | |
| Push handles (pair) | | Z199 | Z199 [|] Z199 | | |
| Butterfly harness | | Z116 | Z126 | Z136 | | |
| Anterior support/tray | | Z145 | Z155 _ |] Z165 | | |
| Laterals (pair) | | Small | Z105 | Z105 |] Z105 | |
| | 웆 | Large | N/A | Z106 |] Z106 | |
| | СНООЅЕ | Small with strap | Z107 | Z107 |] Z107 | |
| | | Large with strap | N/A | Z108 |] Z108 | |
| Hip guides (pair) | 0 | Small | Z109 | Z109 |] Z109 | |
| | CHOOSE | Large | N/A | Z149 🗆 |] Z149 | |
| | m | Large with thick pads | N/A | Z198 |] Z198 | |
| Pan | | Z117 | Z127 |] Z137 | | |
| Bowl adapter | | Z196 | Z196 |] Z197 | | |
| Deflector | | Standard (requires seat pad) | Z118 | Z118 |] Z128 | |
| | CHOOSE | Splash guard | Z119 | Z119 |] Z129 | |
| | Ħ | New! Dynamic deflector | N/A | Z923 |] Z923 | |
| Abductor | CHC | Small | Z124 | Z124 |] N/A | |
| | CHOOSE | Large | N/A | Z144 |] Z144 | |
| Ankle straps (pair, require footboard) | | Z156 | Z156 |] Z157 | | |
| Calf rest (requires footboard) | | Z158 | Z158 |] Z159 | | |
| Footboard (for mounting bar attachment) | | Z146 | Z147 |] Z148 | | |
| Portability base with carry bag | | Z139 | Z139 |] N/A | | |

^{*} Required